

# **NASA Environmental Tracking System (NETS)**

## **NETS Development Team**

Joe Homan

Bob Dibacco

Bella Fallner

Bob Purgason


# NETS Topics 2008

- Brief History
  - Implemented as client-server version in 1999
  - Converted to web application in 2003
- System Statistics
  - 350+ Users
  - 5000+ Pages

# NETS Topics 2008

- System Interfaces
  - Local CPAR Regulatory Compliance (EFR)
  - NASA Real Property (CRM)
- Document Management Systems (NEPA, ODSFoam, CRM)
- Automated Email Generation (NEPA)
- Graphical Reports (Energy)

# NETS Client Server 1999



# NETS Web 2008

NETS Main - Microsoft Internet Explorer


File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites RSS Print Mail News Groups

Address <http://netsdata.grc.nasa.gov/netsmain.cfm> Go Links

Google G Go 433 blocked Check AutoLink Settings

---

 NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

**NASA Environmental Tracking System**

bppurg @ GRC

---

[Main](#) | [Change Password](#) | [Reports](#) | [Logoff](#)

---

**Table of Contents**

- ▶ [Change Site](#)
- ▶ [Cultural Resource Management \(CRM\)](#)
- ▶ [Cultural Resource Management \(CRM\) Web Site](#)
- ▶ [Energy & Water](#)
- ▶ [Energy and Water Management Functional Reviews \(EWMFR\)](#)
- ▶ [Environmental Compliance & Restoration \(ECR\)](#)
- ▶ [Environmental Functional Management \(EFM\)](#)
- ▶ [Environmental Functional Reviews \(EFR\)](#)
- ▶ [National Environmental Policy Act \(NEPA\)](#)
- ▶ [Ozone Depleting Substances \(ODS\)](#)
- ▶ [Pollution Prevention \(P2\)](#)
- ▶ [Recycling & Affirmative Procurement \(RAP\)](#)
- ▶ [Recycling & Affirmative Procurement \(RAP\) Contract Detail](#)
- ▶ [Reports](#)
- ▶ [Change Password](#)

---

**Site Administration**

- ▶ [Administrative Uploads](#)
- ▶ [Maintain Dates](#)





Photo Credit: NASA

Done Local intranet

# Graphical Reports



# Document Management

NEPA DMS Results - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address [http://natsdata.grc.nasa.gov/nepa\\_dms\\_results.cfm](http://natsdata.grc.nasa.gov/nepa_dms_results.cfm)

Google

NASA NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

**NASA Environmental Tracking System**

bpurg @ GRC

Main | Change Password | Reports | Logoff

Doc. Search Return to Main Return to Index

List of Documents					
Name	Process Type	Document Type	Document Status	Keywords	Last Updated
<a href="#">HQ-1028-GRC-MP_DEA_200707.pdf</a>	EAN	Draft	Complete	GRC Master Plan	07/18/2008 03:44
<a href="#">HQ-1028-GRC-MP_DFONSI.pdf</a>	EAN	FONSI (Draft)	No Review	GRC Twenty-Year Master Plan at Glenn Research Center FONSI	04/23/2008 03:32

Curator(s): [Bob Purgason](#) / [Joe Homan](#)  
Responsible NASA Official: Michael A. McNeill  
Organization Supported: NASA HQ Environmental Management Division  
Last Updated: Aug 26, 2008  
[NASA Website Security & Privacy Statement](#)

Local intranet

# Local CPAR Regulatory Compliance (EFR)

View the CPAR - Mozilla Firefox

http://cpar.grc.nasa.gov/cars/ncviewonly.cfm?ncid=QSAO2007082201&ncindex=0

System Date & Time: 09/18/2008 09:07  
Organization Name: **Safety/Health/Environmental Division**

<b>GRC Corrective and Preventive Action Report</b>	CPAR #: QSAO2007082201
Found by: <b>Regulatory Compliance Issue</b>	Initiator/Phone/Email/Code/Date: Lisa Ramsey 3-2931 Lisa.M.Ramsey@grc.nasa.gov 6-4 08/22/2007

Sub Project: **Safety Branch (QSAO)**

Regulatory Requirement: **OAC 1301:7-7-3401.1 incorporates NFPA 30**

EFR Finding Number(s): **HMM-001 and HMM-010**

Regulatory Compliance Manager: **Priscilla Mobley**

Item Description:

Description of Nonconformance:  
**More than Six Cabinets in One Fire Area** OAC 1301:7-7-3401.1 incorporates NFPA 30 into OHio requirements for flammable and combustible liquid storage. NFPA 30 requires that no more than six flammable materials storage cabinets be located in any one fire area that is equipped with a sprinkler system complying with NFPA 13. In an industrial setting, more than six storage cabinets may be located in the same fire area, which must be equipped with a sprinkler system, if a minimum separation of 100 feet is maintained between each group of not more than six cabinets. One group of six storage cabinets is located in one area of Building 21. Two additional cabinets are less than 100 feet from this group. Eight flammable storage cabinets were located in one fire area with a sprinkler in Building 107

Location of Nonconformance:  
Date & Time:  
Building:  
Room:  
Specific Location:

Attachment(s):

Done

EFR Corrective Action Data Entry - Microsoft Internet Explorer

http://netsdata.grc.nasa.gov/form\_EFRCorrectiveAction.cfm?key=25504524

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
**NASA Environmental Tracking System**  
bppurg @ GRC

Main | Change Password | Reports | Logout

Corrective Action - GRC

List Help

Reporting Year: 2007

CPAR: QSAO2007082201

Corrective Action Name: HMM-001 and HMM-010

CPAR Status: Open

CA Target Closure Date: 01/02/1900

CA Actual Closure Date:

Corrective Action Description/Comments:

CA Root Cause: (Optional)

CA Assigned To: (Optional)

Local intranet



# NASA Real Property (CRM)

Center Property Listing Report - Microsoft Internet Explorer

Address: <https://hrpi.hq.nasa.gov/ReportAllPropertyListing.cfm>

For All NASA Interest and Active/Heritage Status

Center	Site Total	Book Value	2008 CRV (20 Cities Average)	FY2007		
				Total DM	Total CI	Qualified CI
ARC	AMES Research Center	99,643,346	605,644,091	31,110,916	94.9%	94.9%
Ledger Account Total						
1730.0100	7	95,670,825	579,032,926	30,629,450	94.7%	94.7%
1740.0100	1	3,972,521	26,611,166	481,466	98.2%	98.2%

AMES Research Center Property			2008		Historical	
Number	Name	Current Status	CRV Exclusion Year	Status	As Of Date	
ARC - AMES Research Center Total						
N227	<a href="#">UNITARY PLAN WT.BUILDING</a>	Active/Heritage		NHL	10/03/1985	
N227A	<a href="#">11 FT.TRANSONIC WT.</a>	Active/Heritage		NHL	10/03/1985	
N227B	<a href="#">9/7 FT.SUPERSONIC WIND TUNNEL</a>	Active/Heritage		NHL	10/03/1985	
N227D	<a href="#">UNITARY PLAN WT.ELECT AUX.BLDG. &amp; SUBSTATION</a>	Active/Heritage		NHL	10/03/1985	
N200	<a href="#">ADMINISTRATION BUILDING</a>	Active/Heritage		NRE	02/11/1998	
N226	<a href="#">6/6 FT.SUPERSONIC WIND TUNNEL LAB</a>	Active/Heritage	1997	NRE	02/11/1998	
N238	<a href="#">ARC JET LABORATORY</a>	Active/Heritage		NRE	06/29/2007	
N243	<a href="#">FLT.&amp;GUIDANCE SIMULA LAB.</a>	Active/Heritage		NRE	06/29/2007	

Main

NASA NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

NASA Environmental Tracking System

uwhoman @ ARC

Main | Change Password | Reports | Logoff

Cultural Resources Management - Built Resources List

Reporting Year: 2007

Built Resource Number: 3895

Built Resource Name: UNITARY PLAN WT.BUILDING

Building Number: N227

Condition Number: 38

Date of Construction: 1955 (yyyy)

Acquisition Date: (yyyy)

Alteration/Renovation Date Descriptions: See Real Property Database

Built Resource Dates: [\(Click Here to Enter Modify Dates\)](#)

Consultant Resource Survey Number:

SHPO Survey Number:

Resource Name - Historic: UNITARY PLAN WT.BUILDING

NR Type Classification: 1 - Building

Level of Eligibility Evaluation: [\(Click Here to Enter Modify Levels\)](#)

Determination of Eligibility Evaluation: 1 - National Historic Landmark

Section 106 Documentation: [\(Click Here to Enter Modify Section 106 Documentation\)](#)

NR Listing Status: 1 - Yes, Individual

Historic District Component: 3 - No

Historic Context: 3 - Man in Space and Shuttle Historic Context

Documentation: Yes

# NETS

- Obtain a NETS User ID & Password
- Request Access to NETS
- Request Training
- Have any Questions

NETS Help Line: (216) 433-2300

[Bella.M.Fallner@grc.nasa.gov](mailto:Bella.M.Fallner@grc.nasa.gov)